



PRODUCT RANGE 2021

Josef Kränzle GmbH & Co. KG

Rudolf-Diesel-Straße 20

D-89257 Illertissen

phone: +49 7303 96 05 0

mail: sales@kraenzle.com

www.kraenzle.com

CONTENTS

PRODUCT RANGE 2021



HIGH PRESSURE CLEANER | HOME USERS

COLD WATER

K 1050-Series.....	1
X-Series	2

HIGH PRESSURE CLEANER | PROFESSIONAL

COLD WATER

HD-Series	3-4
K 1152-Series	5
K 2000-Series	6
Profi-Series	7
bully-Series	8
small quadro-Series	9
medium quadro-Series	10
large quadro-Series	11

COLD WATER | COMBUSTION ENGINE

B-Series	12
Profi-Jet-Series (portable)	13
Profi-Jet-Series	14

COLD WATER | IN-LINE RP PUMP

WS-RP-Series WSC-RP-Series	15
LX-RP-Series	16

HIGH PRESSURE CLEANER | PROFESSIONAL

HOT WATER

therm CA-Series	17
therm C-Series	18
therm 1017-Series	19
therm-1-Series	20

HOT WATER | IN-LINE RP PUMP

therm-RP-Series.....	21
therm-RP-Series (Automatic hose reel)	22

HOT WATER | ELECTRICALLY HEATED

e-therm-Series	23
----------------------	----

HAND POWER SWEEPERS

HAND POWER SWEEPERS

1+1 Colly 800	24
-----------------------	----



K 1050-Series

HIGH PRESSURE CLEANER | COLD WATER | HOME USERS



FEATURES

- Quick-coupling system D10
- Total-stop system



Model	K 1050 P	K 1050 TS	K 1050 TST
Part.no.	49501	495051	495101
Operating pressure: bar MPa	130 13	130 13	130 13
Water output: l/min l/h	7.5 450	7.5 450	7.5 450
Admissible overpressure: bar MPa	160 16	160 16	160 16
Motor speed: Rpm	2800	2800	2800
Connected load: V ~ Hz A	230 1 50 9.6	230 1 50 9.6	230 1 50 9.6
Hose reel:	–	–	●
High-pressure hose: m Part.no.	8 (DN6) 410541	8 (DN6) 410541	12 (DN6) 49116
Trigger gun Model Part.no.	M2001 12475	M2001 12475	M2001 12475
Lance with flat jet nozzle Nozzle Part.no.	○ 03 12900-03	○ 03 12900-03	○ 03 12900-03
Lance with Dirtkiller Nozzle Part.no.	optional	○ 03 42403-03	○ 03 42403-03

X-Series

HIGH PRESSURE CLEANER | COLD WATER | HOME USERS



FEATURES

- Quick-coupling system D10
- Total-stop system



Model	X A15 TST	X A17 TST
Part.no.	496500	496520
Operating pressure: bar MPa	30-130 3-13	30-150 3-15
Water output: l/min l/h	8 480	9 540
Admissible overpressure: bar MPa	150 15	170 17
Motor speed: Rpm	1400	2800
Connected load: V ~ Hz A	230 1 50 9.8	230 1 50 12.8
Hose reel:	●	●
High-pressure hose: m Part.no.	12 (DN6) 49116	12 (DN6) 49116
Trigger gun Model Part.no.	M2001 12487	M2001 12487
Lance with flat jet nozzle Nozzle Part.no.	033 130100-M20033	033 130100-M20033
Lance with Dirtkiller Nozzle Part.no.	033 42404-033	033 42404-033

HD-Series

HIGH PRESSURE CLEANER | COLD WATER



FEATURES

- Quick-coupling system D12
- Total-stop system
- Portable



Model	HD 7/122 TS	HD 10/122 TS
Part.no.	600030	600080
Operating pressure: bar MPa	30-120 3-12	30-120 3-12
Water output: l/min l/h	7 420	10 600
Admissible overpressure: bar MPa	135 13.5	135 13.5
Motor speed: Rpm	1400	2800
Connected load: V ~ Hz A	230 1 50 7.5	230 1 50 11
High-pressure hose: m Part.no.	10 (DN 6) 43416	10 (DN 6) 43416
Trigger gun Model Part.no.	M2000 12481	M2000 12481
Lance with flat jet nozzle Nozzle Part.no.	● 028 12435-M20028	● 042 12435-M20042
Lance with Dirtkiller Nozzle Part.no.	● 028 12438-028	● 042 12438-042


HD-Series

HIGH PRESSURE CLEANER | COLD WATER



FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Portable



Model	HD 9/80 TS	HD 12/130 TS
Part.no.	600130	600180
Operating pressure: bar MPa	30-80 3-8	30-130 3-13
Water output: l/min l/h	9 540	11 660
Admissible overpressure: bar MPa	90 9	145 14.5
Motor speed: Rpm	1400	1400
Connected load: V ~ Hz A	230 1 50 7.5	230 1 50 13.5
High-pressure hose: m Part.no.	10 (DN 6) 43416	10 (DN 6) 43416
Trigger gun Model Part.no.	M2000 12481	M2000 12481
Lance with regulating nozzle Nozzle Part.no.	● 042 12436-M20042	● 042 12436-M20042
Lance with Dirtkiller Nozzle Part.no.	● 042 12438-042	● 042 12438-042

K 1152-Series

HIGH PRESSURE CLEANER | COLD WATER



FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake



Model	K 1152 TS	K 1152 TST
Part.no.	602010	602020
Operating pressure: bar MPa	30-130 3-13	30-130 3-13
Water output: l/min l/h	10 600	10 600
Admissible overpressure: bar MPa	150 15	150 15
Motor speed: Rpm	2800	2800
Connected load: V ~ Hz A	230 1 50 12	230 1 50 12
Hose reel:	—	●
High-pressure hose: m Part.no.	10 (DN 6) 43416	15 (DN 6) 48015
Trigger gun Model Part.no.	M2000 12481	M2000 12481
Lance with vario-jet Nozzle Part.no.	● 042 12437-042	● 042 12437-042
Lance with Dirtkiller Nozzle Part.no.	● 042 12438-042	● 042 12438-042

K 2000-Series

HIGH PRESSURE CLEANER | COLD WATER



FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake

OPTION¹ - NON MARKING MODEL

- Non Marking-Conversion kit (without hose reel): Part.no. 42250
- Non Marking-Conversion kit (with hose reel): Part.no. 42251
- K 2160 TST ex works: Part.no. 604030



Model	K 2160 TS	K 2160 TST	K 2175 TS	K 2175 TST	K 2195 TS	K 2195 TST
Part.no.	604010	604020	604110	604120	604050	604060

Operating pressure: bar MPa	30-140 3-14	30-140 3-14	30-160 3-16	30-160 3-16	30-180 3-18	30-180 3-18
Water output: l/min l/h	11 660	11 660	12 720	12 720	8 480	8 480
Admissible overpressure: bar MPa	160 16	160 16	175 17.5	175 17.5	195 19.5	195 19.5
Motor speed: Rpm	1400	1400	1400	1400	1400	1400
Connected load: V ~ Hz A	230 1 50 14	230 1 50 14	400 3 50 6.7	400 3 50 6.7	230 1 50 14	230 1 50 14

Hose reel:	—	●	—	●	—	●
High-pressure hose: m Part.no.	10 (DN 6) 43416	15 (DN 6) 48015	10 (DN 6) 43416	15 (DN 6) 48015	10 (DN 6) 43416	15 (DN 6) 48015
Trigger gun Model Part.no.	M2000 12481	M2000 12481	M2000 12481	M2000 12481	M2000 12481	M2000 12481
Lance with vario-jet Nozzle Part.no.	● 042 12437-042	● 042 12437-042	● 042 12437-042	● 042 12437-042	○ 03 12437-03	○ 03 12437-03
Lance with Dirtkiller Nozzle Part.no.	● 042 12438-042	● 042 12438-042	● 042 12438-042	● 042 12438-042	○ 03 12438-03	○ 03 12438-03

¹ Model OPTION: FEATURES -Part.no. in table may differ.

Profi-Series

HIGH PRESSURE CLEANER | COLD WATER



FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Removable water tank

OPTION¹ - NON MARKING MODEL

- Non Marking-Conversion kit: Part.no. 42260



Model	Profi 160 TST	Profi 175 TST	Profi 195 TST
Part.no.	606000	606100	606010
Operating pressure: bar MPa	30-140 3-14	30-150 3-15	30-170 3-17
Water output: l/min l/h	11 660	12 720	8 480
Admissible overpressure: bar MPa	160 16	175 17.5	195 19.5
Motor speed: Rpm	1400	1400	1400
Connected load: V ~ Hz A	230 1 50 14.3	400 3 50 7.2	230 1 50 14.3
Hose reel:	●	●	●
High-pressure hose: m Part.no.	15 (DN6) 43829	15 (DN6) 43829	15 (DN6) 43829
Trigger gun Model Part.no.	M2000 12481	M2000 12481	M2000 12481
Lance with flat jet nozzle Nozzle Part.no.	● 042 12435-M20042	○ 03 12435-M2003	● 042 12435-M20042
Lance with Dirtkiller Nozzle Part.no.	● 042 12438-042	○ 03 12438-03	● 042 12438-042

¹ Model OPTION: FEATURES -Part.no. in table may differ.

bully-Series

HIGH PRESSURE CLEANER | COLD WATER



FEATURES

- Quick-coupling system D12
- Total-stop system

OPTION¹ - NON MARKING MODEL

- Non Marking-Conversion kit: Part.no. 42274



Model	bully 1000 TST	bully 1200 TST
Part.no.	614050	614060
Operating pressure: bar MPa	30-200 3-20	30-160 3-16
Water output: l/min l/h	16 960	19 1140
Admissible overpressure: bar MPa	230 23	180 18
Motor speed: Rpm	1400	1400
Connected load: V ~ Hz A	400 3 50 12	400 3 50 12
Hose reel:	●	●
High-pressure hose: m Part.no.	15 (DN8) 46411	15 (DN8) 46411
Trigger gun Model Part.no.	Starlet 123272	Starlet 123272
Lance with flat jet nozzle Nozzle Part.no.	● 05 12420-D2505	● 075 12420-D25075
Lance with Dirtkiller Nozzle Part.no.	● 05 12425-05	● 075 12425-075

¹ Model OPTION: FEATURES -Part.no. in table may differ.

small quadro-Series

HIGH PRESSURE CLEANER | COLD WATER



FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Water tank

OPTION ¹ - NON MARKING MODEL

- Non Marking-Conversion kit: Part.no. 42252
- quadro 11/140 TST ex works: Part.no. 608010



Model	quadro 11/140 TST	quadro 9/170 TST
Part.no.	608000	608020
Operating pressure: bar MPa	30-140 3-14	30-170 3-17
Water output: l/min l/h	11 660	9 540
Admissible overpressure: bar MPa	155 15.5	190 19
Motor speed: Rpm	1400	1400
Connected load: V ~ Hz A	230 1 50 14	230 1 50 14
Hose reel:	●	●
High-pressure hose: m Part.no.	15 (DN6) 40170	15 (DN6) 40170
Trigger gun Model Part.no.	M2000 12481	M2000 12481
Lance with flat jet nozzle Nozzle Part.no.	● 045 12435-M20045	○ 03 12435-M2003
Lance with Dirtkiller Nozzle Part.no.	● 045 12438-045	○ 03 12438-03

¹ Model OPTION: FEATURES -Part.no. in table may differ.

medium quadro-Series

HIGH PRESSURE CLEANER | COLD WATER



FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Water tank

OPTION¹ - NON MARKING MODEL

- Non Marking-Conversion kit: Part.no. 42272
- Non Marking-Conversion kit (quadro 899 TST): Part.no. 42271
- quadro 799 TST ex works: Part.no. 610110



kränzle[®]

Model	quadro 599 TST	quadro 799 TST	quadro 899 TST
Part.no. standard	610000	610100	610120

Operating pressure: bar MPa	30-150 3-15	30-180 3-18	30-150 3-15
Water output: l/min l/h	10 600	13 780	15 900
Admissible overpressure: bar MPa	165 16.5	200 20	170 17
Motor speed: Rpm	1400	1400	1400
Connected load: V ~ Hz A	230 1 50 14	400 3 50 8.5	400 3 50 8.5

Hose reel:	●	●	●
High-pressure hose: m Part.no.	20 (DN6) 434161	20 (DN6) 434161	15 (DN8) 44879
Trigger gun Model Part.no.	M2000 12492	M2000 12492	M2000 12492
Lance with flat jet nozzle Nozzle Part.no.	● 035 12420-D25035	● 045 12420-D25045	● 06 12420-D2506
Lance with Dirtkiller Nozzle Part.no.	● 035 12425-035	● 045 12425-045	● 06 12425-06

¹ Model OPTION: FEATURES -Part.no. in table may differ.

large quadro-Series

HIGH PRESSURE CLEANER | COLD WATER



FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Water tank
- Stainless steel chassis

OPTION¹ - NON MARKING MODEL

- Non Marking-Conversion kit (without hose reel): Part.no. 42280
- Non Marking-Conversion kit (with hose reel): Part.no. 42282
- quadro 1200 TST ex works: Part.no. 612130



kränzle[®]

Model	quadro 800 TST	quadro 1000 TS	quadro 1000 TST	quadro 1200 TS	quadro 1200 TST
Part.no. standard	612060	612080	612090	612110	612120

Operating pressure: bar MPa	30-250 3-25	30-220 3-22	30-220 3-22	30-180 3-18	30-180 3-18
Water output: l/min l/h	13.3 800	16 960	16 960	19 1140	19 1140
Admissible overpressure: bar MPa	270 27	250 25	250 25	200 20	200 20
Motor speed: Rpm	1400	1400	1400	1400	1400
Connected load: V ~ Hz A	400 3 50 12	400 3 50 12	400 3 50 12	400 3 50 12	400 3 50 12

Hose reel:	●	—	●	—	●
High-pressure hose: m Part.no.	20 (DN8) 41083	10 (DN8) 41081	20 (DN8) 41083	10 (DN8) 41081	20 (DN8) 41083
Trigger gun Model Part.no.	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272
Lance with flat jet nozzle Nozzle Part.no.	● 04 12420-D2504	● 05 12420-D2505	● 05 12420-D2505	● 07 12420-D2507	● 07 12420-D2507
Lance with Turbo killer Nozzle Part.no.	● 04 12430-04	—	● 05 12430-05	—	● 07 12430-07

¹ Model OPTION: FEATURES -Part.no. in table may differ.

B-Series

HIGH PRESSURE CLEANER | COLD WATER | COMBUSTION ENGINE



kränzle®

FEATURES

- Quick-coupling system D12
- Honda engine



Model	B 170 T	B 230 T	B 240 T	B 270 T
Part.no.	620001	620013	620023	620033

Operating pressure: bar MPa	30-150 3-15	30-200 3-20	30-220 3-22	30-250 3-25
Water output: l/min l/h	12.5 750	20 1200	16 960	16 960
Admissible overpressure: bar MPa	170 17	230 23	240 24	270 27
Motor:	Honda GX160 LX	Honda GX390 LX	Honda GX340 LX	Honda GX390 LX
Speed adjustment:	—	●	●	●

Hose reel:	●	●	●	●
High-pressure hose: m Part.no.	20 (DN8) 41083	20 (DN8) 41083	20 (DN8) 41083	20 (DN8) 41083
Trigger gun Model Part.no.	M2000 12492	Starlet 123272	Starlet 123272	Starlet 123272
Lance with regulating nozzle Nozzle Part.no.	● 05 12431-D2505	● 07 12431-D2507	● 05 12431-D2505	● 045 12431-D25045
Lance with Turbo killer Nozzle Part.no.	—	● 07 12430-07	● 05 12430-05	● 045 12430-045
Lance with Dirtkiller Nozzle Part.no.	● 05 12425-05	—	—	—

Profi-Jet-Series (portable)

HIGH PRESSURE CLEANER | COLD WATER | COMBUSTION ENGINE



kränzle®

FEATURES

- Quick-coupling system D12
- Honda engine
- Portable



Model	Profi-Jet B 13/150	Profi-Jet B 10/200
Part.no.	618001	618021
Operating pressure: bar MPa	30-150 3-15	30-200 3-20
Water output: l/min l/h	13 780	10 600
Admissible overpressure: bar MPa	170 17	220 22
Motor:	Honda GX160 LX	Honda GX200 LX
Speed adjustment:	—	—
High-pressure hose: m Part.no.	10 (DN8) 44878	10 (DN8) 41081
Trigger gun Model Part.no.	M2000 12481	M2000 12481
Lance with regulating nozzle Nozzle Part.no.	● 05 12439-D2505	○ 03 12439-D2503
Lance with Dirtkiller Nozzle Part.no.	● 05 12438-05	○ 03 12438-03

Profi-Jet-Series

HIGH PRESSURE CLEANER | COLD WATER | COMBUSTION ENGINE



FEATURES

- Quick-coupling system D12
- Honda engine



kränzle®

Model	Profi-Jet B 13/150	Profi-Jet B 13/150 Tr.	Profi-Jet B 10/200	Profi-Jet B 10/200 Tr.	Profi-Jet B 16/220	Profi-Jet B 16/220 Tr.	Profi-Jet B 20/200	Profi-Jet B 20/200 Tr.	Profi-Jet B 16/250	Profi-Jet B 16/250 Tr.
Part.no.	618003	618007	618023	618027	618045	618049	618065	618069	618085	618089

Operating pressure: bar MPa	30-150 3-15	30-150 3-15	30-200 3-20	30-200 3-20	30-220 3-22	30-220 3-22	30-200 3-20	30-200 3-20	30-250 3-25	30-250 3-25
Water output: l/min l/h	13 780	13 780	10 600	10 600	16 960	16 960	20 1200	20 1200	16 960	16 960
Admissible overpressure: bar MPa	170 17	170 17	220 22	220 22	240 24	240 24	220 22	220 22	270 27	270 27
Motor:	Honda GX160 LX	Honda GX160 LX	Honda GX200 LX	Honda GX200 LX	Honda GX340 LX	Honda GX340 LX	Honda GX390 LX	Honda GX390 LX	Honda GX390 LX	Honda GX390 LX
Speed adjustment:	—	—	—	—	●	●	●	●	●	●

Hose reel:	—	●	—	●	—	●	—	●	—	●
High-pressure hose: m Part.no.	10 (DN8) 44878	20 (DN8) 41083	10 (DN8) 41081	20 (DN8) 41083	10 (DN8) 41081	20 (DN8) 41083	10 (DN8) 41081	20 (DN8) 41083	10 (DN8) 41081	20 (DN8) 41083
Trigger gun Model Part.no.	M2000 12492	M2000 12492	M2000 12492	M2000 12492	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272
Lance with regulating nozzle Nozzle Part.no.	● 05 12431-D2505	● 05 12431-D2505	○ 03 12431-D2503	○ 03 12431-D2503	● 05 12431-D2505	● 05 12431-D2505	● 07 12431-D2507	● 07 12431-D2507	● 045 12431-D25045	● 045 12431-D25045
Lance with Dirtkiller Nozzle Part.no.	● 05 12425-05	● 05 12425-05	○ 03 12425-03	○ 03 12425-03	—	—	—	—	—	—
Lance mit Turbo killer Nozzle Part.no.	—	—	—	—	● 05 12430-05	● 05 12430-05	● 07 12430-07	● 07 12430-07	● 045 12430-045	● 045 12430-045

WS-RP-Series | WSC-RP-Series

HIGH PRESSURE CLEANER | COLD WATER | IN-LINE RP PUMP



FEATURES

- Quick-coupling system D12
- In-Line RP Pump
- Total-stop system
- Floor- and wall-mounted unit
- WSC-Model with stainless steel housing



Model	WS-RP 1000 TS	WSC-RP 1000 TS	WS-RP 1200 TS	WSC-RP 1200 TS	WS-RP 1400 TS	WSC-RP 1400 TS	WS-RP 1600 TS	WSC-RP 1600 TS
Part.no.	622100	622110	622120	622130	622140	622150	622160	622170
Operating pressure: bar MPa	30-200 3-20	30-200 3-20	30-190 3-19	30-190 3-19	30-170 3-17	30-170 3-17	30-150 3-15	30-150 3-15
Water output: l/min l/h	16.6 1000	16.6 1000	20 1200	20 1200	23.3 1400	23.3 1400	26.7 1600	26.7 1600
Admissible overpressure: bar MPa	220 22	220 22	210 21	210 21	200 20	200 20	170 17	170 17
Motor speed: Rpm	1400	1400	1400	1400	1400	1400	1400	1400
Connected load: V ~ Hz A	400 3 50 13.5	400 3 50 13.5	400 3 50 14.3	400 3 50 14.3	400 3 50 14.3	400 3 50 14.3	400 3 50 14.3	400 3 50 14.3
High-pressure hose: m Part.no.	10 (DN8) 41081	10 (DN8) 41081	10 (DN8) 41081	10 (DN8) 41081	10 (DN8) 41081	10 (DN8) 41081	10 (DN8) 41081	10 (DN8) 41081
Trigger gun Model Part.no.	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272
Lance with flat jet nozzle Nozzle Part.no.	05 12420-D2505	05 12420-D2505	065 12420-D25065	065 12420-D25065	08 12420-D2508	08 12420-D2508	11 12420-D2511	11 12420-D2511

LX-RP-Series

HIGH PRESSURE CLEANER | COLD WATER | IN-LINE RP PUMP



FEATURES

- Quick-coupling system D12
- In-Line RP Pump
- Total-stop system



kränzle®

Model	LX-RP 1200 TST	LX-RP 1400 TST	LX-RP 1600 TST
Part.no.	616060	616070	616080
Operating pressure: bar MPa	30-190 3-19	30-170 3-17	30-150 3-15
Water output: l/min l/h	20 1200	23.3 1400	26.7 1600
Admissible overpressure: bar MPa	210 21	190 19	170 17
Motor speed: Rpm	1400	1400	1400
Connected load: V ~ Hz A	400 3 50 14.3	400 3 50 14.3	400 3 50 14.3
Hose reel:	●	●	●
High-pressure hose: m Part.no.	20 (DN8) 443812	20 (DN8) 443812	20 (DN8) 443812
Trigger gun Model Part.no.	Starlet 123272	Starlet 123272	Starlet 123272
Lance with flat jet nozzle Nozzle Part.no.	● 065 12420-D25065	● 08 12420-D2508	● 11 12420-D2511

therm CA-Series

HIGH PRESSURE CLEANER | HOT WATER



FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Water tank



kränzle®

Model	therm CA 11/130	therm CA 11/130 Tr.	therm CA 12/150	therm CA 12/150 Tr.
Part.no. standard	626000	626010	626200	626210
Operating pressure: bar MPa	30-130 3-13	30-130 3-13	30-150 3-15	30-150 3-15
Water output: l/min l/h	11 660	11 660	12 720	12 720
Admissible overpressure: bar MPa	145 14.5	145 14.5	165 16.5	165 16.5
Motor speed: Rpm	1400	1400	1400	1400
Connected load: V ~ Hz A	230 1 50 15	230 1 50 15	400 3 50 7.2	400 3 50 7.2
Hose reel:	—	●	—	●
High-pressure hose: m Part.no.	10 (DN8) 44878	15 (DN8) 44879	10 (DN8) 44878	15 (DN8) 44879
Trigger gun Model Part.no.	M2000 12492	M2000 12492	M2000 12492	M2000 12492
Lance with flat jet nozzle Nozzle Part.no.	● 045 12420-D25045	● 045 12420-D25045	● 045 12420-D25045	● 045 12420-D25045

therm C-Series

HIGH PRESSURE CLEANER | HOT WATER



FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Water tank

OPTION¹ - NON MARKING MODEL

- Non Marking-Conversion kit (without hose reel): Part.no. 42270
- Non Marking-Conversion kit (with hose reel): Part.no. 42271



kränzle[®]

Model	therm C 11/130	therm C 11/130 Tr.	therm C 13/180	therm C 13/180 Tr.	therm C 15/150	therm C 15/150 Tr.
Part.no. standard	628000	628010	628200	628210	628350	628360
Operating pressure: bar MPa	30-130 3-13	30-130 3-13	30-180 3-18	30-180 3-18	30-150 3-15	30-150 3-15
Water output: l/min l/h	11 660	11 660	13 780	13 780	15 900	15 900
Admissible overpressure: bar MPa	145 14.5	145 14.5	200 20	200 20	170 17	170 17
Motor speed: Rpm	1400	1400	1400	1400	1400	1400
Connected load: V ~ Hz A	230 1 50 15	230 1 50 15	400 3 50 8.7	400 3 50 8.7	400 3 50 8.7	400 3 50 8.7
Hose reel:	—	●	—	●	—	●
High-pressure hose: m Part.no.	10 (DN8) 44878	15 (DN8) 44879	10 (DN8) 44878	15 (DN8) 44879	10 (DN8) 44878	15 (DN8) 44879
Trigger gun Model Part.no.	M2000 12492	M2000 12492	M2000 12492	M2000 12492	M2000 12492	M2000 12492
Lance with flat jet nozzle Nozzle Part.no.	● 045 12420-D25045	● 045 12420-D25045	● 045 12420-D25045	● 045 12420-D25045	● 055 12420-D25055	● 055 12420-D25055

¹ Model OPTION: FEATURES -Part.no. in table may differ.

therm 1017-Series

HIGH PRESSURE CLEANER | HOT WATER



FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Water tank



Model	therm 1017	therm 1017 Tr.
Part.no.	632200	632210
Operating pressure: bar MPa	30-150 3-15	30-150 3-15
Water output: l/min l/h	16.7 1000	16.7 1000
Admissible overpressure: bar MPa	170 17	170 17
Motor speed: Rpm	1400	1400
Connected load: V ~ Hz A	400 3 50 8.5	400 3 50 8.5
Hose reel:	—	●
High-pressure hose: m Part.no.	10 (DN8) 44878	20 (DN8) 44877
Trigger gun Model Part.no.	Starlet 123272	Starlet 123272
Lance with flat jet nozzle Nozzle Part.no.	● 06 12420-D2506	● 06 12420-D2506

therm-1-Series

HIGH PRESSURE CLEANER | HOT WATER



FEATURES

- Quick-coupling system D12
- Total-stop system
- Cleaning Agent Intake
- Water tank

OPTION¹ - NON MARKING MODEL

- Non Marking-Conversion kit (without hose reel): Part.no. 42280
- Non Marking-Conversion kit (with hose reel): Part.no. 42281



kränzle[®]

Model	therm 635-1	therm 635-1 Tr.	therm 875-1	therm 875-1 Tr.	therm 895-1	therm 895-1 Tr.	therm 1165-1	therm 1165-1 Tr.
Part.no. standard	634000	634010	634200	634210	634400	634410	634600	634610
Operating pressure: bar MPa	30-130 3-13	30-130 3-13	30-175 3-17.5	30-175 3-17.5	30-195 3-19.5	30-195 3-19.5	30-165 3-16.5	30-165 3-16.5
Water output: l/min l/h	10.6 635	10.6 635	14.6 875	14.6 875	14.9 895	14.9 895	19.4 1165	19.4 1165
Admissible overpressure: bar MPa	145 14.5	145 14.5	190 19	190 19	215 21.5	215 21.5	180 18	180 18
Motor speed: Rpm	1400	1400	1400	1400	1400	1400	1400	1400
Connected load: V ~ Hz A	230 1 50 15	230 1 50 15	400 3 50 8.7	400 3 50 8.7	400 3 50 12	400 3 50 12	400 3 50 12	400 3 50 12
Hose reel:	—	●	—	●	—	●	—	●
High-pressure hose: m Part.no.	10 (DN8) 41081	20 (DN8) 443812	10 (DN8) 41081	20 (DN8) 443812	10 (DN8) 41081	20 (DN8) 443812	10 (DN8) 41081	20 (DN8) 443812
Trigger gun Model Part.no.	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272
Lance with flat jet nozzle Nozzle Part.no.	● 045 12420-D25045	● 045 12420-D25045	● 045 12420-D25045	● 045 12420-D25045	● 045 12420-D25045	● 045 12420-D25045	● 07 12420-D2507	● 07 12420-D2507

¹ Model OPTION: FEATURES -Part.no. in table may differ.

therm-RP-Series

HIGH PRESSURE CLEANER | HOT WATER | IN-LINE RP PUMP



FEATURES

- Quick-coupling system D12
- In-Line RP Pump
- Total-stop system
- Cleaning Agent Intake
- Water tank

OPTION ¹ - NON MARKING MODEL

- Non Marking-Conversion kit (without hose reel): Part.no. 42280
- Non Marking-Conversion kit (with hose reel): Part.no. 42281



kränzle®

Model	therm-RP 1000	therm-RP 1000 Tr.	therm-RP 1200	therm-RP 1200 Tr.	therm-RP 1400	therm-RP 1400 Tr.	therm-RP 1600	therm-RP 1600 Tr.
Part.no.	638200	638210	638400	638410	638600	638610	638800	638810
Part.no. Option Stainless steel heating coil	638250	638260	638450	638460	638650	638660	638850	638860

Operating pressure: bar MPa	70-200 7-20	70-200 7-20	70-190 7-19	70-190 7-19	70-170 7-17	70-170 7-17	70-150 7-15	70-150 7-15
Water output: l/min l/h	16.6 1000	16.6 1000	20 1200	20 1200	23.3 1400	23.3 1400	26.7 1600	26.7 1600
Admissible overpressure: bar MPa	220 22	220 22	210 21	210 21	190 19	190 19	170 17	170 17
Motor speed: Rpm	1400	1400	1400	1400	1400	1400	1400	1400
Connected load: V ~ Hz A	400 3 50 13.5	400 3 50 13.5	400 3 50 14.3	400 3 50 14.3	400 3 50 14.3	400 3 50 14.3	400 3 50 14.3	400 3 50 14.3

Hose reel:	—	●	—	●	—	●	—	●
High-pressure hose: m Part.no.	10 (DN8) 41081	20 (DN8) 443812	10 (DN8) 41081	20 (DN8) 443812	10 (DN8) 41081	20 (DN8) 443812	10 (DN8) 41081	20 (DN8) 443812
Trigger gun Model Part.no.	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272
Lance with flat jet nozzle Nozzle Part.no.	● 05 12420-D2505	● 05 12420-D2505	● 065 12420-D25065	● 065 12420-D25065	● 08 12420-D2508	● 08 12420-D2508	● 11 12420-D2511	● 11 12420-D2511

¹ Model OPTION: FEATURES -Part.no. in table may differ.

therm-RP-Series (Automatic hose reel)

HIGH PRESSURE CLEANER | HOT WATER | IN-LINE RP PUMP



FEATURES

- Quick-coupling system D12
- In-Line RP Pump
- Automatic hose reel
- Total-stop system
- Cleaning Agent Intake
- Water tank



Model	therm-RP 1000 ATr.	therm-RP 1200 ATr.	therm-RP 1400 ATr.	therm-RP 1600 ATr.
Part.no.	638220	638420	638620	638820
Operating pressure: bar MPa	70-200 7-20	70-190 7-19	70-170 7-17	70-150 7-15
Water output: l/min l/h	16.6 1000	20 1200	23.3 1400	26.7 1600
Admissible overpressure: bar MPa	220 22	210 21	190 19	170 17
Motor speed: Rpm	1400	1400	1400	1400
Connected load: V ~ Hz A	400 3 50 13.5	400 3 50 14.3	400 3 50 14.3	400 3 50 14.3
High-pressure hose: m Part.no.	20 (DN8) 41083	20 (DN8) 41083	20 (DN8) 41083	20 (DN8) 41083
Trigger gun Model Part.no.	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272
Lance with flat jet nozzle Nozzle Part.no.	● 05 12420-D2505	● 065 12420-D25065	● 08 12420-D2508	● 11 12420-D2511

e-therm-Series

HIGH PRESSURE CLEANER | HOT WATER | ELECTRICALLY HEATED



FEATURES

- Quick-coupling system D12
- Total-stop system
- Water tank (e-therm 603 M 36, e-therm 873 M 48)
- Electrically heated

OPTION¹ - NON MARKING MODEL

- Non Marking-Conversion kit (without hose reel): Part.no. 42280
- Non Marking-Conversion kit (with hose reel): Part.no. 42281



kränzle[®]

Model	e-therm 500 M 18	e-therm 500 M 18 Tr.	e-therm 500 M 24	e-therm 500 M 24 Tr.	e-therm 603 M 36	e-therm 603 M 36 Tr.	e-therm 873 M 48	e-therm 873 M 48 Tr.
Part.no.	642050	642060	642150	642160	642250	642260	642350	642360

Operating pressure: bar MPa	30-130 3-13	30-130 3-13	30-130 3-13	30-130 3-13	30-150 3-15	30-150 3-15	30-150 3-15	30-150 3-15
Water output: l/min l/h	8 480	8 480	8 480	8 480	10 600	10 600	13 780	13 780
Admissible overpressure: bar MPa	150 15	150 15	150 15	150 15	170 17	170 17	170 17	170 17
Motor speed: Rpm	1400	1400	1400	1400	1400	1400	1400	1400
Connected load: V ~ Hz A	400 3 50 29	400 3 50 29	400 3 50 39	400 3 50 39	400 3 50 55	400 3 50 55	400 3 50 76	400 3 50 76

Hose reel:	—	●	—	●	—	●	—	●
High-pressure hose: m Part.no.	10 (DN8) 41081	20 (DN8) 443812	10 (DN8) 41081	20 (DN8) 443812	10 (DN8) 41081	20 (DN8) 443812	10 (DN8) 41081	20 (DN8) 443812
Trigger gun Model Part.no.	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272	Starlet 123272
Lance with flat jet nozzle Nozzle Part.no.	○ 03 12420-D2503	○ 03 12420-D2503	○ 03 12420-D2503	○ 03 12420-D2503	● 035 12420-D25035	● 035 12420-D25035	● 05 12420-D2505	● 05 12420-D2505

¹ Model OPTION: FEATURES -Part.no. in table may differ.

1+1 | Colly 800

HAND POWER SWEEPERS



- FEATURES
 - Premium product
 - Metal frame
 - 1 Side brush



- FEATURES
 - 2 Side brushes
 - Folding push-handle
 - Integrated freewheel



Model	1+1	Colly 800
Part.no.	50077	50079
Working width: mm	670	800
Volume storage bin: liter	40	30
Weight: kg	24	19

kranzle®

www.kraenzle.com